

CLAIMS

1. A mechanochemical sensor comprising:
a minute mechanical structure body having a functional membrane
5 formed at least on one part of its surface;
supporting means for supporting the minute mechanical structure
body; and
detection means for detecting the change of a mechanical property
of the minute mechanical structure body.
- 10 2. A mechanochemical sensor as described in Claim 1 wherein:
the minute structure body comprises a first region having the
functional membrane formed on its surface and the first region is a
thin layer.
3. A mechanochemical sensor as described in Claim 1 wherein
15 the minute structure body is a plurality of minute structure bodies each
comprising a different functional membrane.
4. A mechanochemical sensor as described in Claim 1 wherein
the functional membrane is made of a biopolymer or a synthetic polymer.
5. A mechanochemical sensor as described in any one of Claims
20 1 to 4 wherein the functional membrane is formed directly on a surface
of the minute structure body by electro-spray deposition.
6. A mechanochemical sensor as described in any one of Claims
1 to 4 wherein the functional membrane is formed directly on a surface
of the minute structure body by ink jet deposition.
- 25 7. A mechanochemical sensor as described in Claim 5 wherein:
the detection means comprises a zone which will not be displaced
or displaced negligibly even when a mechanical property of the
functional membrane is changed, and
the minute structure body has its one end immersed into a test
30 solution such that said zone is close to the surface of the test solution.
8. A mechanochemical sensor as described in Claim 5 wherein:
the detection means comprises a force-detection sensor and an
actuator for providing a tension to the functional membrane.

9. A mechanochemical sensor as described in Claim 7 wherein:
the detection means comprises a force-detection sensor and an
actuator for providing a tension to the functional membrane.

10. A mechanochemical sensor as described in Claim 5 wherein:
5 the minute mechanical structure body comprises a minute
cantilever having the functional membrane formed thereon; and
the detection means is a sensor capable of detecting the bending
deformation of the minute cantilever of the minute mechanical
structure body.

11. A mechanochemical sensor as described in Claim 7 wherein:
10 the minute mechanical structure body comprises a minute
cantilever having a functional membrane formed thereon; and
the detection means is a sensor capable of detecting the bending
deformation of the minute cantilever of minute mechanical structure
15 body.

12. A mechanochemical sensor as described in Claim 8 wherein:
the minute mechanical structure body comprises a minute
cantilever having the functional membrane formed thereon; and
the detection means is a sensor capable of detecting the bending
20 deformation of the minute cantilever of the minute mechanical
structure body.

13. A mechanochemical sensor as described in Claim 6 wherein:
the detection means comprises a force-detection sensor and an
actuator for providing a tension to the functional membrane.

14. A mechanochemical sensor as described in Claim 13
25 wherein:

the minute mechanical structure body comprises a minute
cantilever having the functional membrane formed thereon; and
the detection means is a sensor capable of detecting the bending
30 deformation of the minute cantilever of the minute mechanical
structure body.

15. A mechanochemical sensor as described in Claim 14
wherein:

the minute mechanical structure body comprises a minute cantilever having the functional membrane formed thereon; and

the detection means is a sensor capable of detecting the bending deformation of the minute cantilever of minute mechanical structure
5 body.